



**1 Stereo Channel Sound Control Unit with FM Tuner,
Alarm Clock and Infrared Remote Control
LOGUS 90 Series - METALLO (US - Aluminium/Gray)**

The **Jazz Light Surrounding Sound System** has a wide range of products that allows to project and build all type of Surrounding Sound installations, going from the simplest systems (for houses) to the most complex (for buildings, offices and shopping areas).

All the components of this system are **easy to install, simple to use** and they have a **high audio-quality**.

They are possible to decorate with all the finishings existing in the **LOGUS 90, Sirius 70, APOLO 5000** and **QUADRO 45 Series**, allowing to give a **personal touch** to all the spaces.

FINISHINGS

LOGUS⁹⁰



1 Stereo Channel Sound Control Unit with FM Tuner,
Alarm Clock and Infrared Remote Control
AQUARELLA (AL - Aluminium)

sirius70









1 Stereo Channel Sound Control Unit with FM Tuner,
Alarm Clock and Infrared Remote Control
CLASSIC (MF - Ivory)

APOLO 5000



1 Stereo Channel Sound Control Unit with FM Tuner,
Alarm Clock and Infrared Remote Control
METALIZED (GR - Graphite)

... also in **QUADRO 45** Series

POWER SUPPLIES		COVER PLATES			
Ref.	Box (Un)	Ref.	Colour	Box (Un)	
 <p>Power Supply Module 15V= 5W</p> <ul style="list-style-type: none"> Input: 110/250V~ - 50Hz. Output: 15V= - 5W. Capacity to supply 1 Mono or Stereo Sound Control Unit. 	21380	1	 <p>90670 T BR MF GE PE AL IS</p>	1	
			 <p>70670 T BR MF AT</p>	1	
			 <p>50670 T BR MF PT PR GR PL CH</p>	1	
 <p>Power Supply 15V= 30W for DIN Rail Mounting</p> <ul style="list-style-type: none"> Input: 110/250V~ - 50/60Hz. Output: 15V= - 30W. Capacity to supply 10 Stereo Sound Control Units or 20 Mono Sound Control Units. Size: 4,5 DIN Modules. 			75052	—	1
 <p>Power Supply 15V= 12W for Installation in Hollow Ceilings</p> <ul style="list-style-type: none"> Input: 110/250V~ - 50Hz. Output: 15V= - 12W. Capacity to supply 4 Stereo Sound Control Units or 8 Mono Sound Control Units. Possible to mount on the 5" Loudspeaker. 			75053	—	1

■ T - Rocker, Cover Plate or Frame.
 ■ BR - White; MF - Ivory; AT - Anthracite; PT - Black; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.
 ■ For the selection of the frames of the LOGUS 90 Series see page 7, of the Sirius 70 Series see page 25 and of the APOLO 5000 Series see page 43.

MODULAR SOUND CENTRAL UNITS			COVER PLATES			
	Ref.	Box (Un)		Ref.	Colour	Box (Un)
 <p>1 Stereo Channel Modular Sound Central Unit</p>	21391	1	 <p>Cover Plate for 1 Stereo Channel Modular Sound Central Unit</p>	90851 T	BR MF GE PE AL IS	1
				70851 T	BR MF AT	1
				50851 T	BR MF PT PR GR PL CH	1
 <p>1 Stereo Channel Modular Sound Central Unit with FM Tuner</p>	21392	1		90852 T	BR MF GE PE AL IS	1
			 <p>Cover Plate for 1 Stereo Channel Modular Sound Central Unit with FM Tuner</p>	70852 T	BR MF AT	1
				50852 T	BR MF PT PR GR PL CH	1
 <p>3 Stereo Channel Auxiliary Input Module</p>	21393	1		90853 T	BR MF GE PE AL IS	1
			 <p>Cover Plate for 3 Stereo Channel Auxiliary Input Module</p>	70853 T	BR MF AT	1
				50853 T	BR MF PT PR GR PL CH	1

■ T - Rocker, Cover Plate or Frame.









■ BR - White; MF - Ivory; AT - Anthracite; PT - Black; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

■ For the selection of the frames of the LOGUS 90 Series see page 7, of the SIRIUS 70 Series see page 25 and of the APOLO 5000 Series see page 43.

SOUND CONTROL UNITS

FM SOUND CONTROL UNITS		COVER PLATES			
	Ref.	Box (Un)	Ref.	Colour	Box (Un)
 <p>1 Stereo Channel Sound Control Unit with FM Tuner, Alarm Clock and Infrared Remote Control</p>	21370	1	 <p>90715 T BR MF GE PE AL IS</p>		2 1
			 <p>70715 T BR MF AT</p>		2
 <p>1 Stereo Channel Sound Control Unit with FM Tuner and Alarm Clock</p>	21379	1	 <p>50715 T BR MF PT PR GR PL CH</p>		2
			 <p>90709 T BR MF GE PE AL IS</p>		2 1
 <p>1 Stereo Channel Sound Control Unit with FM Tuner</p>	21377	1	 <p>70709 T BR MF AT</p>		2
			 <p>90707 T BR MF GE PE AL IS</p>		2 1
 <p>1 Stereo Channel Sound Control Unit with FM Tuner</p>	21377	1	 <p>70707 T BR MF AT</p>		2
			 <p>50707 T BR MF PT PR GR PL CH</p>		2 1

■ T - Rocker, Cover Plate or Frame.
 ■ BR - White; MF - Ivory; AT - Anthracite; PT - Black; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.
 ■ For the selection of the frames of the LOGUS 90 Series see page 7, of the Sirius 70 Series see page 25 and of the APOLO 5000 Series see page 43.



FM SOUND CONTROL UNITS			COVER PLATES		
	Ref.	Box (Un)	Ref.	Colour	Box (Un)
 <p>1 Mono Channel Sound Control Unit with FM Tuner</p>	21373	1	 <p>90703 T BR MF GE PE AL IS</p>		2 1
			 <p>70703 T BR MF AT</p>		2
			 <p>50703 T BR MF PT PR GR PL CH</p>		2 1
 <p>4 Mono Channels Sound Control Unit with FM Tuner</p>	21378	1	 <p>90708 T BR MF GE PE AL IS</p>		2 1
			 <p>70708 T BR MF AT</p>		2
			 <p>50708 T BR MF PT PR GR PL CH</p>		2 1



SOUND CONTROL UNITS				COVER PLATES			
	Ref.	Box (Un)		Ref.	Colour	Box (Un)	
 <p>1 Stereo Channel Sound Control Unit</p>	21372	1	 <p>Cover Plate for 1 Stereo Channel Sound Control Unit</p>	90702 T	BR MF GE PE AL IS	2 1	
			 <p>Cover Plate for 1 Stereo Channel Sound Control Unit</p>	70702 T	BR MF AT	2	
				50702 T	BR MF PT PR GR PL CH	2 1	
 <p>1 Mono Channel Sound Control Unit</p>	21371	1		90700 T	BR MF GE PE AL IS	2 1	
			 <p>Cover Plate for 1 Mono Channel Sound Control Unit</p>	70700 T	BR MF AT	2	
				50700 T	BR MF PT PR GR PL CH	2 1	
 <p>4 Mono Channels Sound Control Unit</p>	21374	1		90704 T	BR MF GE PE AL IS	2 1	
			 <p>Cover Plate for 4 Mono Channels Sound Control Unit</p>	70704 T	BR MF AT	2	
				50704 T	BR MF PT PR GR PL CH	2 1	

■ T - Rocker, Cover Plate or Frame.

■ BR - White; MF - Ivory; AT - Anthracite; PT - Black; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.



■ For the selection of the frames of the LOGUS 90 Series see page 7, of the Sirius 70 Series see page 25 and of the APOLO 5000 Series see page 43.

COMPLEMENTARY SOUND CONTROL UNITS		COVER PLATES				
Ref.	Box (Un)	Ref.	Colour	Box (Un)		
 <p>4 Stereo Channels Selector Module</p> <ul style="list-style-type: none"> To be installed with 1 Stereo Channel Sound Control Unit in installations with Modular Sound Central Units with 3 Stereo Channel Auxiliary Input Module. 	21385	1	 <p>Cover Plate for 4 Stereo Channels Selector Module</p>	90705 T	BR MF GE PE AL IS	2 1
				70705 T	BR MF AT	2
				50705 T	BR MF PT PR GR PL CH	2 1


FLUSH MOUNTING LOUDSPEAKERS OF 2"		COVER PLATES				
Ref.	Box (Un)	Ref.	Colour	Box (Un)		
 <p>Loudspeaker of 2" - 32 Ohm</p> <ul style="list-style-type: none"> Maximum Power: 10W. Frequency Response: 450 - 5000Hz. 	21581	1	 <p>Cover Plate for Loudspeaker of 2" - 32 Ohm</p>	90710 T	BR MF GE PE AL IS	2 1
				70710 T	BR MF AT	2
				50710 T	BR MF PT PR GR PL CH	2 1









FLUSH MOUNTING LOUDSPEAKERS OF 5" AND OF 6,5"

	Ref.	Colour	Box (Un)
 <p>Loudspeaker of 5" - 32 Ohm for Ceiling Mounting</p>	75023 C	BR MF	1
<p>Loudspeaker of 5" - 16 Ohm for Ceiling Mounting</p>	75022 C	BR MF	1
<p>Loudspeaker of 5" - 8 Ohm for Ceiling Mounting</p>	75021 C	BR MF	1
 <p>Squared Grid 2-Way Loudspeaker of 6,5" - 32 Ohm</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 204 x 204 x 92. ■ Maximum Power: 60W. ■ Frequency Response: 60 - 20000Hz. 	75083 C	BR MF	1
<p>Squared Grid 2-Way Loudspeaker of 6,5" - 16 Ohm</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 204 x 204 x 92. ■ Maximum Power: 60W. ■ Frequency Response: 60 - 20000Hz. 	75082 C	BR MF	1
<p>Squared Grid 2-Way Loudspeaker of 6,5" - 8 Ohm</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 204 x 204 x 92. ■ Maximum Power: 60W. ■ Frequency Response: 60 - 20000Hz. 	75081 C	BR MF	1

SURFACE MOUNTING LOUDSPEAKERS OF 5"

	Ref.	Colour	Box (Un)
 <p>Surface Mounting Flat 2-Way Loudspeaker of 5" - 32 Ohm</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 270 x 183 x 37. ■ Maximum Power: 15W. ■ Frequency Response: 80 - 19000Hz. 	75106 C	BR	1
<p>Surface Mounting Flat 2-Way Loudspeaker of 5" - 16 Ohm</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 270 x 183 x 37. ■ Maximum Power: 15W. ■ Frequency Response: 80 - 19000Hz. 	75105 C	BR	1
<p>Surface Mounting Flat 2-Way Loudspeaker of 5" - 8 Ohm</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 270 x 183 x 37. ■ Maximum Power: 15W. ■ Frequency Response: 80 - 19000Hz. 	75104 C	BR	1

ACCESSORIES

		Ref.	Colour	Box (Un)
	<p>Stereo / Mono Amplifier</p> <ul style="list-style-type: none"> ■ Output Power: Stereo: 5W + 5W (4 Ohm); Mono: 8W (8 Ohm). ■ Rated Voltage: 15V$\overline{\text{~}}$. ■ Function: Stand by. ■ Possible to mount on the Loudspeaker of 5". ■ Amplifies the audio signal coming from a Sound Control Unit allowing connecting from 8 to 16 Loudspeakers to a Mono Sound Control Unit and from 10 to 16 Loudspeakers to a Stereo Sound Control Unit. 	75032	—	1
	<p>Flush Mounting Ceiling Box for Loudspeaker of 5"</p> <ul style="list-style-type: none"> ■ Dimensions (mm): \varnothing 165, P=64. 	75983	—	10
	<p>Flush Mounting Deep Ceiling Box for Loudspeaker of 5" and Stereo/Mono Amplifiers</p> <ul style="list-style-type: none"> ■ Dimensions (mm): \varnothing 165, P=92. 	75984	—	10
	<p>Flush Mounting Box for Squared Grid 2-Way Loudspeakers</p> <ul style="list-style-type: none"> ■ Dimensions (mm): 227,8 x 227,8 x 119. 	75986	—	2
	<p>Lid to Pre-installation for Loudspeaker of 5"</p> <ul style="list-style-type: none"> ■ Dimensions (mm): \varnothing 173. 	75999 A	BR	2
	<p>Infrared Remote Control Transmitter for Sound System</p> <ul style="list-style-type: none"> ■ For FM Sound Control Unit - Ref. 21370. ■ It works with 2 AAA batteries, not included. 	75985	—	1